



THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN TOP-LINK PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM TOP-LINK LTD.

DWN No.: C-100607

proposal



Recommended PCB Layout



Item	Part name	Q'ty/Ea'	Material	Finish
1	HSG	1	High temp.Plastic UL94 V-0 Color Black	_____
2	Body	2	Leaded Brass	Gold plating over Nickel plating
3	Plunger	2	Leaded Brass	Gold plating over Nickel plating
4	Spring	2	Stainless steel wire	_____
5				_____

Table 1 Mechanical performance		
working height	7.6mm	115±30gf <2.1>
Durability	10000cycle	

Notes:
 1 Dimensions shall be interpreted per ASME Y14.5M.
 2 Mechanical performance(See the table 1)
 <2.1>The force is the average of forces obtained when plunger goes downwards and upwards.
 3 Electrical performance
 Resistance:30mOhm Max.Current rating: 2.0A
 4 Packaging Spec.Comformance to EIA 481
 5 RoHS compliant.

100607-2
PART NUMBER

Top-Link Electronics Ltd.		Type Customer drawing	Unit mm	Weight
TOLERANCES UNLESS OTHER SPECIFIED 0.0 = ± 0.15 0.00 = ± 0.10 0.000 = ± 0.05 Angle: ± 1° SURF TEXTURE: REMOVE BURRS. BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.		DWN: Cai wanlu	APVD:	 Top-Link Electronics Ltd.
		CHK:	REL:	
Name Customer drawing				
Scale 1:1	Size A4	DWG No. C-100607	Page 1/1	Rev. B

Rev.	Revision record.	Date.
4	Update	2012/09/19
3	NEW	2010/09/13

DIST

DIST
